RECORDED
12/3/63
GL

FEDERAL BUREAU OF INVESTIGATION
UNITED STATES DEPARTMENT OF JUSTICE

NO LAB FILE

Laboratory Work Sheet

Re: ASSASSINATION OF
PRESIDENT JOHN F. KENNEDY,
11-22-63, DALLAS, TEXAS

File # 62-109060
Lab. # D-437050 ET

Examination requested by: FBI, Dallas (89-43)

Examination requested: Photographic

Date received: 11-25-63

Result of Examination:

Examination by: [redacted]

Micro exam of all pertinent frames. Eight areas in window are shape of bodies. No thing that can be interpreted as a person visible in window — corner 6th floor. Photomicrographs of four frames made.
Other observations: No changes of position of objects in window can be detected. Change of head in window directly behind [redacted] apparent. Spot check at an angle in some frames would be seen

12/3/63

Specimens submitted for examination:

Q104 One 50' roll of 8mm Kodachrome movie film with container bearing customer's name "Robert Hughes" bearing exposures of the Texas Schoolbook Depository Building from which assassin fired the gun killing President John F. Kennedy, 11-22-63.

— approx angle is right.

(Film examined by experts at Navy Photo Interpretation Center 12/2/63 who reviewed in above)

LAB RPT
12/9/63
FEW:ejc